

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"6144988".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/04 10:51
S2	2	("5727129" "5802527").pn.	US-PGPUB; USPAT	OR	OFF	2003/10/22 18:13
S3	1	"6144988.pn.and" internet	US-PGPUB; USPAT	OR	OFF	2003/10/23 15:14
S4	4	"6144988".URPN.	USPAT	OR	OFF	2003/10/23 16:17
S5	2	"6144988.URPN.and" demographic	USPAT	OR	OFF	2003/10/23 16:20
S6	31	("4305059"   "4578530"   "4734858"   "4755940"   "4775935"   "4795890"   "4799156"   "4812628"   "4827508"   "4922521"   "4935870"   "4947028"   "4977595"   "4982346"   "4992940"   "5025373"   "5060153"   "5077607"   "5220501"   "5247575"   "5305195"   "5336870"   "5341429"   "5347632"   "5351186"   "5351293"   "5383113"   "5414833"   "5708780"   "5715314"   "5848396").PN.	USPAT	OR	OFF	2003/10/23 16:24
S7	0	((("4305059"   "4578530"   "4734858"   "4755940"   "4775935"   "4795890"   "4799156"   "4812628"   "4827508"   "4922521"   "4935870"   "4947028"   "4977595"   "4982346"   "4992940"   "5025373"   "5060153"   "5077607"   "5220501"   "5247575"   "5305195"   "5336870"   "5341429"   "5347632"   "5351186"   "5351293"   "5383113"   "5414833"   "5708780"   "5715314"   "5848396").PN.) and (demographic near2 information\$1)same calculat\$3	USPAT	OR	OFF	2003/10/23 16:26

S8	4	((("4305059"   "4578530"   "4734858"   "4755940"   "4775935"   "4795890"   "4799156"   "4812628"   "4827508"   "4922521"   "4935870"   "4947028"   "4977595"   "4982346"   "4992940"   "5025373"   "5060153"   "5077607"   "5220501"   "5247575"   "5305195"   "5336870"   "5341429"   "5347632"   "5351186"   "5351293"   "5383113"   "5414833"   "5708780"   "5715314"   "5848396").PN.) and demographic near2 information\$1	USPAT	OR	OFF	2003/10/23 16:29
S9	2	((("4305059"   "4578530"   "4734858"   "4755940"   "4775935"   "4795890"   "4799156"   "4812628"   "4827508"   "4922521"   "4935870"   "4947028"   "4977595"   "4982346"   "4992940"   "5025373"   "5060153"   "5077607"   "5220501"   "5247575"   "5305195"   "5336870"   "5341429"   "5347632"   "5351186"   "5351293"   "5383113"   "5414833"   "5708780"   "5715314"   "5848396").PN.) and score	USPAT	OR	OFF	2003/10/23 16:29
S10	1	"6144988.pn.AND" product\$1	US-PGPUB; USPAT	OR	OFF	2004/08/09 17:00
S11	10060	neural with network	US-PGPUB; USPAT	OR	OFF	2004/08/09 17:00
S12	17	neural with network and purchas\$3 near10 score\$1	US-PGPUB; USPAT	OR	OFF	2004/08/09 17:00
S13	6	neural with network and purchas\$3 near10 score\$1	USPAT	OR	OFF	2004/08/09 17:05
S14	15	neural with network and behavior near10 score\$1	USPAT	OR	OFF	2004/08/09 17:05
S15	2	neural with network and behavior near10 score\$1 near15 (product\$1 or purchas\$3)	USPAT	OR	OFF	2004/08/09 17:08
S16	10	neural with network and behavior near10 score\$1 and(product\$1 or purchas\$3)	USPAT	OR	OFF	2004/08/09 17:08
S17	5	neural with network and behavior near10 score\$1 and(product\$1 or purchas\$3)and demograph\$3	USPAT	OR	OFF	2004/08/09 17:18

S18	0	neural with network and behavior near10 score\$1 and(product\$1 or purchas\$3)and demograph\$3 and first with set and second with set	USPAT	OR	OFF	2004/08/09 17:19
S19	1	behavior near10 score\$1 and(product\$1 or purchas\$3)and demograph\$3 and first with set and second with set	USPAT	OR	OFF	2004/08/09 17:19
S20	0	behavior near10 score\$1 and(product\$1 or purchas\$3) and first with set with demograph\$3 and second with set with demograph\$3	USPAT	OR	OFF	2004/08/09 17:19
S21	0	behavior near10 score\$1 and(product\$1 or purchas\$3) and first with set with (user\$1 or customer\$1) with data and second with set	USPAT	OR	OFF	2004/08/09 17:20
S22	0	behavior near10 score\$1 and(product\$1 or purchas\$3) and first with set with (user\$1 or customer\$1) with data	USPAT	OR	OFF	2004/08/09 17:20
S23	0	behavior near10 score\$1 near15 first with set with (user\$1 or customer\$1) with data	USPAT	OR	OFF	2004/08/09 17:21
S24	0	behavior near10 score\$1 near15 first with set with data	USPAT	OR	OFF	2004/08/09 17:21
S25	1	"6134532".pn. and credit\$3	US-PGPUB; USPAT	OR	OFF	2004/08/10 16:42
S26	1	"6134532".pn. and purchas\$3	US-PGPUB; USPAT	OR	OFF	2004/08/10 16:42
S27	439	demographic near2 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 10:52
S28	21	rule\$1 same score and demographic near2 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 10:52
S29	23	rule\$1 same score\$1 and demographic near2 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 10:54
S30	23	rule\$1 same score\$1 and demographic near2 database\$1 and user\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:01
S31	16	rule\$1 same score\$1 and demographic near2 database\$1 and user\$1 and third near party	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:15
S32	0	rule\$1 same score\$1 and demographic near2 database\$1 same third near party	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:12

S33	5	rule\$1 same score\$1 and demographic near2 database\$1 same age\$1 and user\$1 and third near party	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:13
S34	50	demographic near2 database\$1 same market\$3	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:15
S35	31	demographic near2 database\$1 same market\$3 and age	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:15
S36	2	demographic near2 database\$1 same market\$3 and age and rule\$1 same score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:16
S37	7	demographic near2 database\$1 same age and rule\$1 same score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:17
S38	19	demographic near2 database\$1 and age and rule\$1 same score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:17
S39	0	rule\$1 same score\$1 same demographic near2 database\$1 and age	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:18
S40	2	rule\$1 same score\$1 same user\$1 and demographic near2 database\$1 and age	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:19
S41	0	rule\$1 same score\$1 same identify\$3 near10 user\$1 and demographic near2 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:19
S42	2	rule\$ and score\$1 same identify\$3 near10 user\$1 and demographic near2 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:21
S43	31	rule\$ and score\$1 and identify\$3 near10 user\$1 and demographic near2 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 11:21
S44	37	("6134532").URPN.	USPAT	OR	OFF	2005/04/04 11:25
S45	6	("6134532").URPN. and demographic same database\$1	USPAT	OR	OFF	2005/04/04 11:29
S46	2	("6134532").URPN. and demographic same database\$1 and rule\$1 and score\$1	USPAT	OR	OFF	2005/04/04 16:17
S47	27	demographic near6 database\$1 and calculat\$3 near15 score\$1	USPAT	OR	OFF	2005/04/04 16:19
S48	1	demographic near6 database\$1 same calculat\$3 near15 score\$1	USPAT	OR	OFF	2005/04/04 16:19
S49	27	demographic near6 database\$1 and calculat\$3 near15 score\$1	USPAT	OR	OFF	2005/04/04 16:19
S50	0	demographic near6 database\$1 and calculat\$3 near15 score\$1 same rule\$1	USPAT	OR	OFF	2005/04/04 16:20

S51	14	demographic near6 database\$1 and calculat\$3 near15 score\$1 and rule\$1	USPAT	OR	OFF	2005/04/04 16:33
S52	0	demographic near6 database\$1 same calculat\$3 near15 score\$1 and rule\$1	USPAT	OR	OFF	2005/04/04 16:33
S53	0	demographic near6 database\$1 and demographic same calculat\$3 near15 score\$1 and rule\$1	USPAT	OR	OFF	2005/04/04 16:33
S54	0	demographic near6 database\$1 and demographic near15 score\$1 and rule\$1	USPAT	OR	OFF	2005/04/04 16:33
S55	4	demographic near6 database\$1 and demographic same score\$1 and rule\$1	USPAT	OR	OFF	2005/04/04 17:44
S56	26	demographic near6 database\$1 and demographic same score\$1 and rule\$1	US-PGPUB; USPAT	OR	OFF	2005/04/04 17:44
S57	10	rule\$1 and score\$1 same demographic\$1 and demographic\$1 near2 database\$1 and age	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:33
S58	15	rule\$1 and score\$1 same demographic\$1 and demographic\$1 near2 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:33
S59	5	rule\$1 and score\$1 same demographic\$1 and demographic\$1 near2 database\$1 not S57	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:46
S60	1	"6055513".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:42
S61	33	rule\$1 and score\$1 same demographic\$1 and demographic\$1 near10 database\$1 not S57	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:46
S62	28	rule\$1 and score\$1 same demographic\$1 and demographic\$1 near10 database\$1 not S58	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:56
S63	2	("6286043" "6385592").pn.	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:51
S64	3	("6286043" "6385592" "6606581").pn.	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:52
S65	2	("6286043" "6385592" "6606581").pn. and demographic	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:54
S66	0	("6286043" "6385592" "6606581").pn. and demographic and rule\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:52

S67	0	("6286043" "6385592" "6606581").pn. and demographic and score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:52
S68	3	("6286043" "6385592" "6836799").pn.	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:53
S69	2	("6286043" "6385592" "6836799").pn. and demographic\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:48
S70	146	rule\$1 and score\$1 and demographic\$1 near10 database\$1 not S58	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:56
S71	118	rule\$1 and score\$1 and demographic\$1 near10 database\$1 not (S58 or S61)	US-PGPUB; USPAT	OR	OFF	2005/04/05 09:57
S72	0	("6286043" "6385592" "6836799").pn. and score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 10:32
S73	463	rule\$1 and score\$1 and third near3 party same database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:49
S74	154	rule\$1 and (comput\$6 or calculat\$3)near15 score\$1 and third near3 party same database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:50
S75	15	rule\$1 and (comput\$6 or calculat\$3)near15 score\$1 same third near3 party same database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:50
S76	6	rule\$1 and (comput\$6 or calculat\$3)near15 score\$1 same third near3 party same database\$1 and demographic\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:49
S77	9	rule\$1 and (comput\$6 or calculat\$3)near15 score\$1 same third near3 party same database\$1 not S76	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:50
S78	6	rule\$1 and (comput\$6 or calculat\$3)near15 score\$1 and third near3 party same database\$1 and demographic\$4 near3 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:51
S79	14	rule\$1 and score\$1 and third near3 party same database\$1 and demographic\$4 near3 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:53
S80	37	rule\$1 and score\$1 and third near3 party and demographic\$4 near3 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:53
S81	23	rule\$1 and score\$1 and third near3 party and demographic\$4 near3 database\$1 not S79	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:53

S82	2	("6286043" "6385592" "6606581").pn. and demographic and database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/05 11:54
S83	5209	database same third near3 party	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:05
S84	5680	database\$1 same third near3 party	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:06
S85	149	database\$1 same third near3 party same demographic\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:06
S86	149	database\$1 same third near3 party same demographic\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:06
S87	16	database\$1 same third near3 party same demographic\$4 and rule\$1 and score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:11
S88	29	database\$1 same third near3 party same demographic\$4 and score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:11
S89	13	database\$1 same third near3 party same demographic\$4 and score\$1 not S87	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:15
S90	118	(comput\$6 or calculat\$4) near15 score\$1 same ((third near2 party) or demographic\$4)	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:16
S91	56	(comput\$6 or calculat\$4) near15 score\$1 same ((third near2 party) or demographic\$4) and rule\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:16
S92	47	(comput\$6 or calculat\$4) near15 score\$1 same ((third near2 party) or demographic\$4) and rule\$1 and database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:27
S93	97	score\$1 same (third near2 party) and rule\$1 and database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:28
S94	33	score\$1 same (third near2 party) same database\$1 and rule\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:29
S95	12	score\$1 same (third near2 party) same database\$1 and rule\$1 and demographic\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:43
S96	16771	data near3 min\$3	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:43
S97	1844	data near3 min\$3 and collect\$3 near15(user\$1 or target\$1 or consumer\$1)	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:44
S98	99	data near3 min\$3 and collect\$3 near15(user\$1 or target\$1 or consumer\$1) and demographic\$1 near15 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:45

S99	10	data near3 min\$3 and collect\$3 near15(user\$1 or target\$1 or consumer\$1) and demographic\$1 near15 database\$1 and (comput\$6 or calculat\$3) near15 score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:55
S100	5	data near3 min\$3 and collect\$3 near15(user\$1 or target\$1 or consumer\$1) and demographic\$1 near15 database\$1 and (comput\$6 or calculat\$3) near15 score\$1 and score\$1 same demographic\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 10:58
S101	17	(comput\$6 or calculat\$3) near15 score\$1 same demographic\$1 same (user\$1 or consumer\$1)	US-PGPUB; USPAT	OR	OFF	2005/04/06 12:45
S102	1	"20020112096" and scor\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 13:11
S103	1	"20020112096" and scor\$4 and demographic\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 12:55
S104	0	"20020112096" and scor\$4 and demographic\$4 and daiabase\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 12:55
S105	1	"5966695".pn. and scor\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 13:15
S106	187	scor\$4 same (third near2 party or demographic\$4) same (user\$1 or customer\$1) and demographic\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 13:18
S107	173	scor\$4 same (third near2 party or demographic\$4) same (user\$1 or customer\$1) and demographic\$4 and database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 13:19
S108	67	scor\$4 same (third near2 party or demographic\$4) same (user\$1 or customer\$1 or consumer\$1) and demographic\$4 and database\$1 and (receiv\$3 or collect\$3) near15 (user\$1 or customer\$1 or consumer\$1) same server	US-PGPUB; USPAT	OR	OFF	2005/04/06 13:20
S109	60	scor\$4 same (third near2 party or demographic\$4) same (user\$1 or customer\$1 or consumer\$1) and demographic\$4 and database\$1 and (receiv\$3 or collect\$3) near15 (user\$1 or customer\$1 or consumer\$1) same server not S101	US-PGPUB; USPAT	OR	OFF	2005/04/06 13:25



S11 0	60	scor\$4 same (third near2 party or demographic\$4) same (user\$1 or customer\$1 or consumer\$1) and demographic\$4 and database\$1 and (receiv\$3 or collect\$3) near15 (user\$1 or customer\$1 or consumer\$1) same server not S101 and scor\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 14:39
S11 1	0	20050021747scor\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 14:39
S11 2	1	"20050021747" and scor\$4	US-PGPUB; USPAT	OR	OFF	2005/04/06 14:59
S11 3	1	"6055513".pn.	US-PGPUB; USPAT	OR	OFF	2005/04/06 15:00
S11 4	1084	"6055513".pn. demographic\$4 near5 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 15:00
S11 5	1	"6055513".pn. and demographic\$4 near5 database\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 15:02
S11 6	1	"6055513".pn. and demographic\$4 near5 database\$1 and key\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 15:02
S11 7	1	"20020112096" and score\$1	US-PGPUB; USPAT	OR	OFF	2005/04/06 17:00
S11 8	0	"5781738".pn. and unix	US-PGPUB; USPAT	OR	OFF	2005/05/01 15:51
S11 9	0	"20040210648" and unix	US-PGPUB; USPAT	OR	OFF	2005/05/01 15:51
S12 0	3535	client same unix	US-PGPUB; USPAT	OR	OFF	2005/05/01 15:51
S12 1	161	client same unix and assign\$7 same resource\$1 same client\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 15:56
S12 2	8	client same unix and assign\$7 same resource\$1 same client\$1. ab.	US-PGPUB; USPAT	OR	OFF	2005/05/01 15:52
S12 3	51	client near15 unix and assign\$7 same resource\$1 same client\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:05
S12 4	3728	(709/229 or 709/226).ccls.	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:05
S12 5	698	(709/229 or 709/226).ccls. and unix	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:07
S12 6	172	(709/229 or 709/226).ccls. and client same unix	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:06
S12 7	65	(709/229 or 709/226).ccls. and client same unix and network near2 resource\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:06
S12 8	6	(709/229 or 709/226).ccls. and client same unix and assign\$7 same network near2 resource\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:06

S12 9	21	(709/229 or 709/226).ccls. and unix and assign\$7 same network near2 resource\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:07
S13 0	15	(709/229 or 709/226).ccls. and unix and assign\$7 same network near2 resource\$1 not S128	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:21
S13 1	0	(709/229 or 709/226).ccls. and unix near15 client same network near2 resource\$1 not S128	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:21
S13 2	4	(709/229 or 709/226).ccls. and unix near15 client same resource\$1 not S128	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:23
S13 3	3	(709/229 or 709/226).ccls. and unix near10 client same resource\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:23
S13 4	1	(709/229 or 709/226).ccls. and unix near10 client same resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:23
S13 5	3	(709/229 or 709/226).ccls. and unix near10 client and assign\$7 near15 resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:24
S13 6	0	(709/229 or 709/226).ccls. and unix near10 client near15 resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:24
S13 7	1	(709/229 or 709/226).ccls. and unix near10 computer near15 resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:25
S13 8	1	(709/229 or 709/226).ccls. and unix near10 (PC computer or workstation) near15 resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:33
S13 9	55	unix near10 (PC computer or workstation) near15 resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:28
S14 0	22	unix near10 client near15 resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:29
S14 1	0	unix near client near15 resource\$1 not S132	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:29
S14 2	97	unix near client	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:29
S14 3	33	unix near client and assign\$7 same resource\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:31
S14 4	127	unix near10 client and assign\$7 same resource\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:31
S14 5	94	unix near10 client and assign\$7 same resource\$1 not S143	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:31
S14 6	41	(709/229 or 709/226).ccls. and unix near10 client	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:34

S14 7	36	(709/229 or 709/226).cccls. and unix near10 client and resource\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:38
S14 8	52	(709/229 or 709/226).cccls. and unix and (assign\$7 or attach\$9) same resource\$1 same client\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:39
S14 9	5	(709/229 or 709/226).cccls. and client near15 unix and (assign\$7 or attach\$9) same resource\$1 same client\$1	US-PGPUB; USPAT	OR	OFF	2005/05/01 16:39
S15 0	13938	(user\$1 or consumer\$1 or customer\$1) near15 behavior\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:46
S15 1	133	scor\$3 near15 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:46
S15 2	30	(comput\$3 or calculat\$3 or determin\$4) near15 scor\$3 near15 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:48
S15 3	2	(comput\$3 or calculat\$3 or determin\$4) near15 scor\$3 near15 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4 and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:03
S15 4	614	(comput\$3 or calculat\$3 or determin\$4) near15 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4 and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:53
S15 5	98	(comput\$3 or calculat\$3 or determin\$4) near15 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4.ab. and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:55
S15 6	5	(comput\$3 or calculat\$3 or determin\$4) near15 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4.ab. and (@ad<"19991022" or @rlpd<"19991022") and demograph\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:58

S15 7	0	(comput\$3 or calculat\$3 or determin\$4) near15 (point\$1 or scor\$4) near10 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4.ab. and (@ad<"19991022" or @rlpd<"19991022") and demograph\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:58
S15 8	1	(comput\$3 or calculat\$3 or determin\$4) near15 (point\$1 or scor\$4) near10 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4.ab. and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 16:59
S15 9	13	(comput\$3 or calculat\$3 or determin\$4) near15 (point\$1 or scor\$4) near10 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4 and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:01
S16 0	98	(point\$1 or scor\$4) near10 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4 and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:01
S16 1	11	(point\$1 or scor\$4) near10 (user\$1 or consumer\$1 or customer\$1) near15 behavior\$4.ab. and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:03
S16 2	6586	(comput\$3 or calculat\$3 or determin\$4) near15 (scor\$3 or point\$1) near15 (user\$1 or consumer\$1 or customer\$1) and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:04
S16 3	49	(comput\$3 or calculat\$3 or determin\$4) near15 (scor\$3 or point\$1) near15 (user\$1 or consumer\$1 or customer\$1) same behavior and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:05
S16 4	52	(comput\$3 or calculat\$3 or determin\$4) near15 (scor\$3 or point\$1) near15 (user\$1 or consumer\$1 or customer\$1) same behavior\$4 and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:22

S16 5	6586	(comput\$3 or calculat\$3 or determin\$4) near15 (scor\$3 or point\$1) near15 (user\$1 or consumer\$1 or customer\$1)and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:23
S16 6	139	(comput\$3 or calculat\$3 or determin\$4) near15 (scor\$3 or point\$1) near15 (user\$1 or consumer\$1 or customer\$1)near15 target\$5 and (@ad<"19991022" or @rlpd<"19991022")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/03 17:23